

IN THE CLAIMS

1. (Currently Amended): A method of providing an interface with displayable computer files on a computer display, said method comprising the steps of:

(1) displaying a first displayable file on said computer display in a manner customized by an operator of said computer;

(2) storing data indicating a value of at least one attribute of the manner in which said first file was displayed associated with data indicating a type of said first file; and

(3) when a next file of the type of said first file is opened by an operator for display, accessing said stored data indicating said value of said at least one attribute; and

(4) displaying said next file using said value of said at least one attribute having the same value of said attribute as said first file.

2. (Original): The method of claim 1 wherein step (2) comprises storing said value when said first file is closed by said operator.

3. (Original): The method of claim 2 wherein said value that is stored in step (2) is the value of said attribute when said first file was closed.

4. (Original): The method of claim 1 wherein the value that is stored in step (2) is the value of said attribute at a time selected by said operator.

5. (Original): The method of claim 1 wherein said attribute is a size of a window within which said first file was displayed.

6. (Original): The method of claim 5 wherein said attribute further comprises a position of said window within said computer display.

7. (Original): The method of claim 1 wherein said attribute further comprises a position of said window within said computer display.

8. (Original): The method of claim 1 wherein said file type comprises a file name extension of said first file.

9. (Original): The method of claim 8 wherein said extension comprises multiple extensions.

10. (Original): The method of claim 8 wherein step (3) comprises reading said table to determine said attribute.

11. (Original): The method of claim 1 wherein said storing step comprises storing said data as an attribute table comprising a plurality of data entries relating file types to attribute values.

12. (Original): The method of claim 1 further comprising the steps of:
(4) displaying a second displayable file simultaneously with said first file on said computer display in a manner selected by said operator;
(5) storing data associated with said type of said first file indicating at least a type of said second file relative to said first file; and
(6) when a next file of the type of said first file is opened for display, automatically opening a next file of the same type as said second file and having the same relationship to said next file as said second file had to said first file.

13. (Original): The method of claim 12 wherein step (5) comprises storing said type of said second file when said first file is closed by said operator.

14. (Original): The method of claim 13 further comprising the steps of:
(7) storing data indicating a value of at least one attribute of said second file, said data associated with said type of said second file and with said type of said first file; and

(8) when a next file of the same type as said first file is opened by an operator, assigning said next file of the same type as said second file the same value for said attribute of said second file.

15. (Original): The method of claim 14 wherein step (7) comprises storing said value when said first file is closed by said operator.

16. (Original): The method of claim 15 wherein said value that is stored in step (7) is the value of said attribute when said first file was closed.

17. (Original): The method of claim 12 wherein the value that is stored in step (7) is the value of said attribute at a time selected by said operator.

18. (Original): The method of claim 14 wherein said attribute of said second file comprises a size of a window within which said second file was displayed.

19. (Original): The method of claim 18 wherein said attribute of said second file further comprises a position of said window.

20. (Original): The method of claim 14 wherein said attribute of said second file further comprises a position of said window.

21. (Currently Amended): A computer program for providing an interface with displayable computer files on a computer display, said program comprising:

(1) means for determining a value of at least one display attribute of a first displayable file on a computer;

(2) means for determining a type of said first file;

(3) means for automatically storing said value associates with data indicating said type of said first file when said first file is closed; and

(4) means for ~~displaying~~ accessing said stored value when a next file of the same type as said first file is opened; and

(5) using the same value [of said attribute as said first file when a next file of the type of said first file is opened] to display said next file.

22. (Original): The computer program of claim 21 wherein said means for storing comprises means for storing said value of said attribute when said first file was closed.

23. (Original): The computer program of claim 22 wherein said file type comprises a file name extension of said first file.

24. (Original): The computer program of claim 21 wherein said means for storing comprises means for storing said data as an attribute table comprising a plurality of data entries relating file types to attribute values.

25. (Original): The computer program of claim 21 further comprising:
means for determining a value of at least one display attribute of a second displayable file on a computer that is displayed simultaneously with said first file;
means for determining a type of said second file;
means for storing data associated with said type of said first file indicating at least said type of said second file relative to said first file and said at least one attribute of said second file; and

means for automatically opening a next file of the same type as said second file and having the same relationship to said next file as said second file had to said first file when a next file of the type of said first file is opened for display.

26. (Currently Amended): The method of claim 12 wherein said relationship comprises said first and second files having file names with identical first portions.

27. (Currently Amended): The method of claim 26 wherein said file [memos] names each comprise a first part and an extension part and wherein said file types are dictated by said extension part and said first part ~~computer~~ comprises said first portion.

28. (Currently Amended): The ~~method~~ computer program of claim 25 wherein said relationship comprises said first and second files having file names with identical first portions.

29. (Currently Amended): The ~~method~~ computer program of claim 28 wherein said file memos each comprise a first part and an extension part and wherein said file types are dictated by said extension part and said first part ~~computer~~ comprises said first portion.
